

# **INVITATION FOR BID**

# FOR THE PURCHASE AND SUPPLY OF MEDICAL EQUIPMENT'S / SUPPLIES

## BETWEEN

# GREENSTAR SOCIAL MARKETING PAKISTAN (GUARANTEE) LIMITED

FOR

**BHFA PROJECT** 

FUNDED BY

USAID

**INVITATION FOR BIDS (IFB):** 

**TO PROCURE:** 

**DELIVERY TERM:** 

**ISSUANCE DATE:** 

LAST BID RECEIPT DATE:

270624-MED-0002

Medical Equipment's / Supplies

Karachi, Pakistan

June 27, 2024

July 12, 2024 5:00 P.M Local Time Karachi, Pakistan.

# **Table of Contents**

<u>1. </u> ]	escription of Work	3
1.1	Scope of Work	
<u>2.</u>	cceptance	<u>7</u>
2.1	INSTRUCTION FOR BIDDERS	
2.2	PROCEDURE FOR SUBMISSION OF BID	8
<u>3.</u> (	eneral Terms & Conditions	<u>8</u>
3.1	VALIDITY OF THE PROPOSAL	8
3.2	DELIVERY TIMELINES	8
3.3	Penalty Clause	8
3.4	CURRENCY	8
3.5	WITHHOLDING TAX, SALES TAX AND OTHER TAXES	8
3.6	SUBMISSION DATE & ADDRESS	.9
3.7	ENVELOPE	9
3.8	EARNEST MONEY	9
3.9	DISQUALIFICATION	9
	10 RIGHTS	9

А.	APPENDIX: FORMAT FOR FINANCIAL PROPOSAL	10

# **Description:**

Greenstar Social Marketing Pakistan (G) Ltd, Karachi invites proposals from GST / NTN registered authorized distributor/reseller/suppliers having a legal presence in Pakistan (Karachi) for "Purchase of Medical Equipment's / Supplies"

# 1.1 Scope of Work

The proposed procurement includes details as follows:

# **Technical Specifications:**

S.#.	Description	Specifications
1	Gloves Clean and sterile	Sterile surgical gloves, size 7 Box Germany or Malaysia, with four colors branding sticker.
2	ARI Timer	UNICEF manufactured/approved ARI timers with audible alarm to count the breath of children in order to detect acute respiratory infections, with four colors branding sticker.
3	Ventilation bag (AMBU bag)	Ambu bag for silicone rubber or any other material fulfilling the standards. Bag size: 200–320 mL. Intake valve with optional nipple for O2 tubing: polycarbonate/ polysulfone or other material fulfilling the ISO 10651-4 or equivalent. Neonates Reuse Basmed Taiwan, with four colors branding sticker.
4	Mask 0 size	round type, outer diameter 35–50 mm; Silicon Taiwan
5	Mask 1 size	round type, outer diameter 50–65 mm Silicon Taiwan
6	Penguin Suction device	for neonates, Product size (L x W x H) [cm]: 5.22×4.95×13.3, Materials: Silicone rubber (SI) Material Free: Latex, Phthalates Suction tip dimensions at tip: ID 3.0 mm, OD 4.5 mm Suction strength (typical) 100 mmHg (136 cmH2O) Fluid capacity: 75 ml, with four colors branding sticker.
7	Hemostats / hemostatic forceps	Hemo stats clamps/forceps LxWxH 3.5x0.25x 2.25 inches , stainless steel material with engraved logos.
8	Clamps, ties for cord	Ties for cord 5 cm length, plastic sterile latex free material for single use with grooves to prevent cord from slipping, catch close to the hinge.
9	Baby Stethoscope	Latex free tubing , 23 mm diaphram, bell 18 mm tube treated rubber, PVC , crack resistant, tube length max 60 mm Extra Audrey make for Baby With Life Time warranty and USA FDA Approved with four colors branding sticker.
10	Scissor (straight)	120 mm length, straight, sharp stainless steel material ISO, CE,13485,45001,14001 Certified with SMTL Avidnce for Export with engraved logos.
11	Ventilation table China	A mobile, low-cost, newborn resuscitation aid, designed to be used immediately after delivery. Weight Package 1: 16kg, Package 2: 14kg Dimensions : Package 1: 83 x 65 x 52cm, Package 2: 89 x 60 x 20cm .Timer and clock Light (including battery back-up) Silicone suction bulb: Transparent plastic bassinet (x1), Shoulder roll : (x1), Neonatal resus bag (x1),Laerdal penguin (x1),Mobile trolley with castors and locking wheels (x1) Reference link: https://www.diamedica.co.uk/products/neonatal-care/baby-resuscitation- platform#specification-section Or any related brand Picture Attached with four colors branding sticker.
12	Baby Towels	Bath towel cotton, 43.3 " Lx 43.3 " W, with four colors branding.
13	Baby cap	Baby cap for 0-6 months size, stretchable material
14	Baby blanket	Baby blanket: 14 " x 16 " size, natural fiber blended fabric, with four colors branding.

in for placenta nges and needles ize	Pacification With two year rust free replacement warranty with engraved logos. Plastic material, length 12 inches, width 9.25 ", rectangle with four colors branding sticker. 5 cc syringes with needles gauze bandage Heavy duty, Stainless Steel, S.S Nonmagnetic trays with coved. Set of 47 Pcs Instruments
nges and needles	PacificationWith two year rust free replacement warranty with engraved logos.Plastic material, length 12 inches, width 9.25 ", rectangle with four colors branding sticker.5 cc syringes with needles
	Pacification With two year rust free replacement warranty with engraved logos. Plastic material, length 12 inches, width 9.25 ", rectangle with four colors branding sticker.
	Pacification With two year rust free replacement warranty with engraved logos.
iotomy scissors	Stainless steel, sizes Small 6" ISO Certified, Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015, Medical Grade Health & Safety 4500/2018, Environmental Control 14001/2016 Also With All Instruments LAB
sors or blade	120 mm length, straight, sharp stainless steel material ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with engraved logos.
p or alcohol-based hand rub	Hand wash Soap in bottle / Sanitizer 250 ML
asuring tape	Inch tape (commonly available)
oscope/Doppler and asound gel	Aluminum, Standard Size ISO Certified, Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015, Medical Grade Health & Safety 4500/2018, Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty, with engraved logos.
ex gloves	Medium size pack of 50 pairs Malaysia
	<ul> <li>j) Latex free</li> <li>k) Must comply with REACH &gt; European Community C6Regulation on Health and Environment</li> <li>l) Must have direct manufacturers Authorization letter USA / EU</li> <li>j) Must be USA FDA Approved</li> <li>k) Must be of USA or EU origin</li> <li>L) Product Must Be USA/EU with FDA Approved &amp; Manufacturing Authority Letter with four colors branding sticker.</li> </ul>
Stethoscope (adult)	<ul> <li>g) Large bell is crowned with a non-chill ring Included accessories: eartips, diaphragm, ID tag.</li> <li>h) Free-Parts-for-Life Program</li> <li>i) Lifetime warranty</li> </ul>
	Litman or equivalent (Imported quality) Stethoscope binaural, complete binaural, complete binaural, complete) Silicone ComfortSeal™ eartips provide comfort and maintain softness b) Patented Safety Lock™ eartip adaptors lead the industry in user safety c) Ultrasensitive diaphragm delivers superior high-frequency amplification d) AccuFit™ headset is adjustable for a custom fit e) Super-duty lightweight aluminum chest piece construction f) Insulated acoustic tubing optimizes acoustic integrity
Vachine	range 0-33mm Hg with shatter proof reservoir. Velcro adult, paediatric and infant cuff with bag. with adult, pediatric and infant cuffs. Anaroid type adult, Mercurial adult, aneroida) (A) Universal cuff b) High-molecular polymer nylon cuff and case are abrasion and moisture resistant c) Certified 300 mmHg manometer attains accuracy of +/- 3 mmHg without pin stop d) Accurate arterial compression with artery indicator label and index range e) High-density non-stick, non-cracking inflation bulb and bladder f) Stress-tested over 3,000 times and calibrated five times g) Precise deflation control rate with screw-type vavle h) Lifetime calibration with three-year warranty i) Latex-free sphygmomanometer (must be written on cuff) j) Must have direct authorization letter k) Must have FDA approved with four colors branding sticker.

27	Autoclave/Electric Sterilizer	Instrument sterilizer to have seamless construction Should be made of medical grade stainless Taiwan steel. S.S Nonmagnetic Size approximately 12.2" L x 6.2" W x 6.2" H. handles for unit and lid. with element & Wire and with middle Tray, the lid to be rigidly constructed to prevent warping, hinged to the body and provided with a stop to keep it in the upright position. The instrument tray to be constructed of stainless steel and fixed with drip handles. ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement with engraved logos.
28	Screen for privacy	Three Panel Mobile Privacy Screen with flame. retardant bacteriostatic vinyl waterproof Japanese thick parachute curtains. The panels to be hinged to allow for easy storage and multiple configurations. · Overall Height: 69" (175cm). Overall Width: 82" (208cm). Frame Type: Powder Coated Steel 18 SWG 25mm. tubular pipe. Base Size: 27" (68cm) x 20" (50cm). Single Panel Width: 27" (69cm). (All dimensions are approximate) 3 partition with imported wheels along with Japanese thick waterproof parachute with 20 gage material with Epoxy powdered coated ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust With Branding in 3 sides with four colors branding on each panel
29	Drip stand	Standard stainless steel made with four hangers Taiwan S.S Material Complete S.S Material With Large Heavy Base and upper side 4 hooks hydraulic type adjustment ISO Certified, Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015, Medical Grade Health & Safety 4500/2018, Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding
30	Weight Scale (Adult)	Capacity: 130 KG. Division :1 KG. PVC Foot mat With Stripes. Size : L=24.3cm , W=26.8cm, H=4.2cm. Must be CE certified and ISO 9001-14001- CE Certified. Digital Italian with Manufacturer Authorized Letter. Laica or Equivalent with four colors branding on each panel
31	Weighing Scale (Baby)	Scales to be highly accurate and stable. Touch controls with spleash proof keyboard. The baby weighing pan to removable. Automatic hold, slow and tare controls to be standard. Capacity: 30kg x 5 gm. To have a baby measuring rod. LED Display Electronic scale for babies and infants. With 4 high quality and accuracy sensors. Button for ON/OFF and tare weight management. Manual selection of weight unit. Automatic reset and shutdown. Low battery and overload indications. ABS yellow platform. Minimum / Maximum Capacity - 0,5/20 Kg - 11/44 Lb Interval Scale - 5 g LCD Display Size - 72 x 28 mm Power feeding - 1 x 3V DC lithium battery (CR2032), included Battery Life - 3000 measurements Weight - 4,5 kg (with battery) Size - 560 x 330 x 53 mm With Battery USA/EU Also Must Required With Manufacturing Authority Letter And With Certifications with four colors branding on each panel
32	Safety box	5l (holds 100-140 x 0.5ml syringe + needle), carton/board, puncture proof, leak proof, diameter of syringe insert hole 35-36mm, directions for use printed on box, with or without handles, flat packed, with four colors branding on each panel
33	Waste bins (color coded) Red blue Green	50 Liters best material PVC with Lid Set of 3 Colors bins Toyo or Equivalent with four colors branding on each panel
34	Artery Forceps Small	Stainless steel, sizes Small 6" ISO Certified, Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015, Medical Grade Health & Safety 4500/2018, Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with engraved logos.
35	Artery Forceps Middle	Stainless steel, sizes Small 7" ISO Certified, Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015, Medical Grade Health & Safety 4500/2018, Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with engraved logos.

36	Toothed Forceps	Stainless steel, size 5.5 standard size ISO Certified, Europe UK CE
50	roothed Forceps	Certified, UK Medical 13485 Certified, ISO UK 9001/2015, Medical Grade Health & Safety
		4500/2018, Environmental Control 14001/2016 Also With All Instruments LAB
		Pacification With two year rust free replacement warranty with engraved logos.
27	New Teethed Ferrers	
37	Non Toothed Forceps	Stainless steel, size 5.5 standard size ISO Certified, Europe UK CE
		Certified, UK Medical 13485 Certified, ISO UK 9001/2015, Medical Grade Health & Safety
		4500/2018, Environmental Control 14001/2016 Also With All Instruments LAB
		Pacification With two rust free replacement warranty with engraved logos.
38	Needle Holder	Stainless steel needle holder, straight, 17.5 cm ISO UK 9001/2015, Medical Grade Health
		& Safety 4500/2018, Environmental Control 14001/2016 Also with All Instruments LAB
		Pacification With two year rust free replacement warranty with four colors branding
		sticker.
39	Kidney Tray (Pair)	Stainless steel made, S.S Thickness: min. 0.8 mm. medium and large size (Medium 8" and
		large 10". makes one pair) ISO UK 9001/2015, Medical Grade Health & Safety 4500/2018,
		Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two
		year rust free replacement warranty with engraved logos.
40	Bowl 10"	Stainless steel S.S Nonmagnetic ISO Certified, Europe UK CE Certified, UK Medical 13485
		Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental
		Control 14001/2016 Also With All Instruments LAB Pacification With two
		year rust free replacement warranty with engraved logos.
41	Bowl 6"	Stainless steel S.S nonmagnetic ISO Certified, Europe UK CE Certified, UK Medical 13485
		Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental
		Control 14001/2016 Also With All Instruments LAB Pacification With two
		year rust free replacement warranty with engraved logos.
42	Deaver Scissor	Stainless steel, sizes 5.5" ISO Certified, Europe UK CE Certified, UK Medical 13485
		Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental
		Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free
		replacement warranty with engraved logos.
43	Emergency Standby Light	Portable LED lights of 5 watts each 24 led. Rechargeable. Battery
		with minimum timing of 03 hours. with four colors branding sticker.
44	Plastic Sheets	A piece of plastic Sheet 4' x 6' best quality. with branding
45	Disposable Bin	Medium size, plastic made best quality 20 liter with four colors branding sticker.
46		
-10	Patient Stool Taiwan S.S Non	Stool top 13" S.S Non magnetic Taiwan type material Dia made of
-10	magnetic With CE,	Stool top 13" S.S Non magnetic Taiwan type material Dia made of Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6
−r∪		Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S
-10	magnetic With CE,	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6
	magnetic With CE,	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental
-10	magnetic With CE,	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free
	magnetic With CE,	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified, Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015, Medical Grade Health & Safety 4500/2018, Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker.
	magnetic With CE,	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker. S.S Frame work with Nonmagnetic made of Round 16SWG S.S
-10	magnetic With CE,	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker. S.S Frame work with Nonmagnetic made of Round 16SWG S.S Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on
-10	magnetic With CE,	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker. S.S Frame work with Nonmagnetic made of Round 16SWG S.S Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on ratchet / Lever up to at least 45 degree.
-10	magnetic With CE,	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker. S.S Frame work with Nonmagnetic made of Round 16SWG S.S Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on ratchet / Lever up to at least 45 degree. Legs fitted with PVC stumps. Cushion 4cm form covered with" A" class Japanese
	magnetic With CE, 13485,45001,Certified companies	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker. S.S Frame work with Nonmagnetic made of Round 16SWG S.S Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on ratchet / Lever up to at least 45 degree. Legs fitted with PVC stumps. Cushion 4cm form covered with" A" class Japanese Waterproof /leather it. All mechanicals should be of stainless steel Complete With
	magnetic With CE, 13485,45001,Certified companies Patient Examination Coach	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker. S.S Frame work with Nonmagnetic made of Round 16SWG S.S Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on ratchet / Lever up to at least 45 degree. Legs fitted with PVC stumps. Cushion 4cm form covered with" A" class Japanese Waterproof /leather it. All mechanicals should be of stainless steel Complete With Mattress Are Detachable and easily washable and disinfect along with S.S Drip Stand
	magnetic With CE, 13485,45001,Certified companies Patient Examination Coach Taiwan S.S Non Magnetic WITH	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker. S.S Frame work with Nonmagnetic made of Round 16SWG S.S Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on ratchet / Lever up to at least 45 degree. Legs fitted with PVC stumps. Cushion 4cm form covered with" A" class Japanese Waterproof /leather it. All mechanicals should be of stainless steel Complete With
40	magnetic With CE, 13485,45001,Certified companies Patient Examination Coach Taiwan S.S Non Magnetic WITH Must CE,13485,45001	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker. S.S Frame work with Nonmagnetic made of Round 16SWG S.S Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on ratchet / Lever up to at least 45 degree. Legs fitted with PVC stumps. Cushion 4cm form covered with" A" class Japanese Waterproof /leather it. All mechanicals should be of stainless steel Complete With Mattress Are Detachable and easily washable and disinfect along with S.S Drip Stand
	magnetic With CE, 13485,45001,Certified companies Patient Examination Coach Taiwan S.S Non Magnetic WITH	<ul> <li>Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6</li> <li>O4 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S</li> <li>Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485</li> <li>Certified, ISO UK 9001/2015 , Medical Grade Health &amp; Safety 4500/2018 , Environmental</li> <li>Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free</li> <li>replacement warranty with four colors branding sticker.</li> <li>S.S Frame work with Nonmagnetic made of Round 16SWG S.S</li> <li>Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on</li> <li>ratchet / Lever up to at least 45 degree.</li> <li>Legs fitted with PVC stumps. Cushion 4cm form covered with" A" class Japanese</li> <li>Waterproof /leather it. All mechanicals should be of stainless steel Complete With</li> <li>Mattress Are Detachable and easily washable and disinfect along with S.S Drip Stand</li> <li>Attach fitted at head and suitable Overall Size: approximately 180L x 46 H cms. Complete</li> </ul>
	magnetic With CE, 13485,45001,Certified companies Patient Examination Coach Taiwan S.S Non Magnetic WITH Must CE,13485,45001	<ul> <li>Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6</li> <li>O4 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S</li> <li>Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485</li> <li>Certified, ISO UK 9001/2015 , Medical Grade Health &amp; Safety 4500/2018 , Environmental</li> <li>Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker.</li> <li>S.S Frame work with Nonmagnetic made of Round 16SWG S.S</li> <li>Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on ratchet / Lever up to at least 45 degree.</li> <li>Legs fitted with PVC stumps. Cushion 4cm form covered with" A" class Japanese</li> <li>Waterproof /leather it. All mechanicals should be of stainless steel Complete With</li> <li>Mattress Are Detachable and easily washable and disinfect along with S.S Drip Stand</li> <li>Attach fitted at head and suitable Overall Size: approximately 180L x 46 H cms. Complete</li> <li>Trolley S.S Non Magnetic Also Total Made as per WHO Rules Infection Prevention Also</li> </ul>
	magnetic With CE, 13485,45001,Certified companies Patient Examination Coach Taiwan S.S Non Magnetic WITH Must CE,13485,45001	<ul> <li>Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6</li> <li>O4 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S</li> <li>Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485</li> <li>Certified, ISO UK 9001/2015 , Medical Grade Health &amp; Safety 4500/2018 , Environmental</li> <li>Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker.</li> <li>S.S Frame work with Nonmagnetic made of Round 16SWG S.S</li> <li>Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on ratchet / Lever up to at least 45 degree.</li> <li>Legs fitted with PVC stumps. Cushion 4cm form covered with" A" class Japanese</li> <li>Waterproof /leather it. All mechanicals should be of stainless steel Complete With Mattress Are Detachable and easily washable and disinfect along with S.S Drip Stand</li> <li>Attach fitted at head and suitable Overall Size: approximately 180L x 46 H cms. Complete Trolley S.S Non Magnetic Also Total Made as per WHO Rules Infection Prevention Also</li> <li>Made S.S Sheet Complete S.S material With Attach Drip Stand And Detachable S.S</li> </ul>
	magnetic With CE, 13485,45001,Certified companies Patient Examination Coach Taiwan S.S Non Magnetic WITH Must CE,13485,45001	Stainless steel, Easy revolving – Four legged base made of steel tubular dia,1" –Center 1.6 - 04 legs welded together with 2" dia pipe heaving, Heavy duty nut inside – Frame fully S.S Non Magnetic complete ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015 , Medical Grade Health & Safety 4500/2018 , Environmental Control 14001/2016 Also With All Instruments LAB Pacification With two year rust free replacement warranty with four colors branding sticker. S.S Frame work with Nonmagnetic made of Round 16SWG S.S Roiling System S.S Nonmagnetic Tube. Back rest section Two Section adjustable on ratchet / Lever up to at least 45 degree. Legs fitted with PVC stumps. Cushion 4cm form covered with" A" class Japanese Waterproof /leather it. All mechanicals should be of stainless steel Complete With Mattress Are Detachable and easily washable and disinfect along with S.S Drip Stand Attach fitted at head and suitable Overall Size: approximately 180L x 46 H cms. Complete Trolley S.S Non Magnetic Also Total Made as per WHO Rules Infection Prevention Also Made S.S Sheet Complete S.S material With Attach Drip Stand And Detachable S.S material with ISO Certified , Europe UK CE Certified, UK Medical 13485 Certified, ISO UK

48	Delivery Table S.S Non magnetic Must be CE,13485,45001,14001 Certified companies	Heavy duty S>S Taiwan Nonmagnetic structure, Synthetic Japanese Thick leather waterproof upholstery, extension auxiliary table, 3 section Table complete with S.S back rest & S.S knee rest support, S.S telescopic I.V Pole of S.S four antistatic castor wheels, stainless steel bowl, leg support, size 6'x4'x34". With Also Below S.S Bowl for Blood and waste water and moveable attachment, also with Detachable mattress, Dri stand, Poles, Hand Rest and foot rest For Disinfect & Washable easily With 16 Gage Roiling Complete Made As per WHO Rules Infection Prevention Also MUST Be Quality CE,13485,45001,14001, Certified with four colors branding sticker.
49	Almirah	Iron made tow doors with lock, with at least 5 shelves each side [D18" x W34" x H60"] thickness 20 gauge., Steel Almirah two doors with 5 shelves with 20 gage material along with below 18 gage four blocks for cleaning easily also doors center area are glass made complete almirah are Texture coated with four colors branding sticker.
50	Macintosh Sheet	0.5 thickness. Taiwan Autoclavable reuseable 1.2 meter
51	Macintosh Apron	0.5mm thickness Japanese material Welded with back sling With Front Side 2 Pickets And with four colors branding sticker.
52	Utility Gloves	Rubber, heavy duty, household, reusable, small, medium, large With thick Material And Thailand Rubber Latex
53	Face shield disposable	Material, shield part: clear polycarbonate, thickness approx. 0.3 mm Size shield, down from headband, approx.: 26 x 34 cm (w x h) Adjustable length headband, integrated with the shield Width headband, approx.: 3 cm Front part of the headband is foam padded (length approx. 25 cm) Shield is anti-fog treated/coated, Outside is coated to prevent glare from reflection
54	Chlorine Bucket plastic	Plastic buckets with cover of 10 liters with red Color Pure PVC Imported Material With LID with four colors branding sticker.
55	Privacy Screen 4 folds	18 to 20 gage material Epoxy powdered ciated Length around 96 Inches, Fabric Parachute 66 inches in width. Moveable, Standing curtain 4 partation folding with thick waterproof Parachute Imported wheels ISO,CE,13485,45001 Certifications compulsory with four colors branding on each panel.
56	PPIUCD Kit	<ul> <li>Kelly Placental Forceps: Stainless Steel, Long, 320mm</li> <li>Forceps Sponge Holding: Forceps, Sponge, Foerster, Straight, 9.5 In (24.1 CM)</li> <li>Vulsellum Forceps: is the long, scissor type forceps with ratchet handles and long, thin, sideways curved blades that have inward facing, double-pointed claws. It is especially designed for grasping the uterus Specification Size : 8" &amp; 10" stainless steel</li> <li>Sims Speculum: Retractor, vaginal, medium curved, 240mm, Curvature: angled SS</li> <li>Scissor medium Scissors, Operating, Amyo, Curved, 6.75 In (17.1 Cm)</li> <li>All above item with two (02) years rust free replacement warranty</li> <li>Galipot/loding Cup: 150ml~200ml, with one year rust free replacement warranty</li> <li>Instruments Tray: stainless steel, appr. 320 x 200 x 80 mm, with cover</li> <li>All above mentioned items should be ISO Certified, Europe UK CE Certified, UK Medical 13485 Certified, ISO UK 9001/2015, Medical Grade Health &amp; Safety 4500/2018, Environmental Control 14001/2016 Also With All Instruments LAB Pacification. All items</li> </ul>

To qualify for the tender, firms must address the entire scope outlined above and detailed in other sections of this document as well as any further communication issued in association with this IFB.

# 2. <u>ACCEPTANCE</u>:

The acceptance criterion for successful bids is defined in the following sections with details being provided for the bidding procedure to be followed for this tender by the Greenstar Social Marketing Pakistan, Karachi.

# 2.1 Instructions for Bidders

- 2.1.1 Bidding is open to all Bidders that meet the given minimum qualification criteria relating to previous experience, delivery capability, firms standing, etc., as stated in the IFB.
- 2.1.2 Any inquiry concerning this IFB and any return bid(s) must be submitted in writing, to be received sufficiently in advance of the Last Bid Receipt Date to permit a thorough and accurate response by

GSMP. Such inquiries shall be sent to e-mail <u>syedasim@greenstar.org.pk</u>. GSMP is under no obligation to consider or respond to questions that are not received in a timely manner.

- 2.1.3 A bidder can submit only one bid as multiple bids and offers shall not be considered.
- 2.1.4 The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Purchaser will in no case be responsible or liable for those costs.
- 2.1.5 Bidders are expected to examine all instructions, forms, terms, specifications, and other information in the IFB. Failure to furnish all information required by the IFB or to submit a bid not substantially responsive in every respect will be at the Bidder's risk and may result in the rejection of its bid.
- 2.1.6 The bidder should quote a composite price inclusive of all taxes & duties for all required items etc.
- 2.1.7 The bidder should mention clear timelines as to when the all the required items would be delivered.
- 2.1.8 Top three successful bidders may ask to provide samples for the approval from the concerned.
- 2.1.9 The requested item shall be ready for shipment within 30 to 45 days of issuance of the contract/PO. No credit will be given for earlier availability date.
- 2.1.10 Preference will be given to suppliers that are able to quote all items, however; multiple or no awards may be made.

#### 2.2 Procedure for Submission of Bid

- For this tender 'Single stage- one envelope procedure' open competitive bidding shall be adopted
- Technical brochure of the offered Product (if any).
- Company profile with Income Statement or Annual report showing financial status, clientle list of the company.

## 3. <u>GENERAL TERMS & CONDITIONS:</u>

#### 3.1 Validity of the Proposal

All proposal and price shall remain valid for a period of 45 days from the last date of bid submission. However, validity could be extended with mutual consent of the parties.

# 3.2 **Delivery Timelines:**

Clearly mention delivery timelines of the required items.

#### 3.3 Penalty Clause:

The contract/PO to be executed between GSM and the successful vendor will contain penalty clauses for delay in the delivery of the required items.

# 3.4 Currency:

All currency in the IFB shall be quoted in Pakistan Rupees (PKR).

#### 3.5 Withholding Tax, Sales Tax and other Taxes:

3.5.1 The interested firms are hereby informed that the GSM shall deduct applicable tax(es) at the rate prescribed under the tax laws of land, from all payments. The firm will be responsible for all taxes levied by government from time to time.

3.5.2 After submission of GST invoice, GSM will only pay the principle amount while GST amount exemption will be applied through USAID and it takes around 4 to 5 months for the decision from EAD after that we will provide exemption certificate / pay GST amount.

3.5.3 If the company imports any item(s) directly and provide us GD & undertaking etc payment will be processed accordingly.

## 3.6 Submission Date & Address:

Last date for submission of sealed bid is July 12, 2024 at the GSM's address as follows:

SCM Department Ocean Tower 8<sup>th</sup> Floor, G-3, Block 9, K.D.A. Scheme # 5, Main Clifton Road, Karachi- Pakistan.

## 3.7 <u>Envelope:</u>

On the top of the sealed envelope should be clearly marked "Bids for Medical Equipment's/Supplies".

#### 3.8 **Disqualification:**

The firm(s) who had defaulted in their P.O's/contracts to perform a contract awarded by GSM is not eligible to participate in the tender.

The firms who have not fulfilled their contractual obligation with GSM shall also not be eligible to participate in the Bid(s), unless they clear their dues along with penalties or fulfill their contractual obligations with GSM.

## 3.9 Earnest Money:

Earnest money @ 2% (refundable) of the total amount should be submitted with the IFB in shape of "Pay Order/Demand Draft" in the name of "Greenstar Social Marketing (Guarantee) Limited – Pakistan" – NTN # 0913138-8.

#### 3.11. <u>Rights:</u>

GSM reserve the right to accept or reject any or all tender(s) without assigning any reason thereof.

# A. <u>Appendix: Format for Financial Proposal:</u>

S.#.	Description	Qty	Units	Rate Each (PKR)	GST Each (PKR)	Rate with GST - Each (PKR)	Total Amount (PKR)
1	Gloves Clean and sterile	300	Boxes				
2	ARI Timer	30	Nos				
3	Ventilation bag (AMBU bag)	30	Nos				
4	Mask 0 size	30	Nos				
5	Mask 1 size	30	Nos				
6	Penguin Suction device	30	Nos				
7	Hemostats / hemostatic forceps	30	Nos				
8	Clamps, ties for cord	500	Nos				
9	Baby Stethoscope	30	Nos				
10	Scissor (straight)	30	Nos				
11	Ventilation table China Picture Attached	30	Nos				
12	Baby Towels	500	Nos				
13	Baby cap	500	Nos				
14	Baby blanket	500	Nos		1		
15	BP Machine	30	Nos				
16	Stethoscope (adult)	30	Nos				
17	Latex gloves	300	Packs				
18	Fetoscope/Doppler and ultrasound gel	30	Nos				
19	Measuring tape	30	Nos				
20	Soap or alcohol-based hand rub	300	Bottles				
21	Scissors or blade	30	Nos				
22	Episiotomy scissors	30	Nos				
23	Basin for placenta	30	Nos				
24	Syringes and needles	300	Nos				
25	Gauze	300	Nos				
26	Delivery Instrument set	30	Nos				
27	Autoclave/Electric Sterilizer	30	Nos				
28	Screen for privacy	30	Nos				
29	Drip stand	30	Nos				
30	Weight Scale (Adult)	30	Nos				
31	Weighing Scale (Baby)	81	Nos				
32	Safety box	400	Nos				
33	Waste bins (color coded) Red blue Green	30	Sets				
34	Artery Forceps Small	30	Nos				
35	Artery Forceps Middle	30	Nos				
36	Toothed Forceps	30	Nos				
37	Non-Toothed Forceps	30	Nos				
38	Needle Holder	30	Nos				
39	Kidney Tray (Pair)	30	Nos				
40	Bowl 10"	30	Nos				
41	Bowl 6"	30	Nos				
42	Deaver Scissor	30	Nos				
43	Emergency Standby Light	30	Nos				
44	Plastic Sheets	30	Nos				
45	Disposable Bin	30	Nos				

46	Patient Stool Taiwan S.S Nonmagnetic With CE, 13485,45001, Certified companies	30	Nos				
47	Patient Examination Coach Taiwan S.S Non-Magnetic WITH Must CE,13485,45001 Certified companies	30	Nos				
48	Delivery Table S.S Nonmagnetic Must be CE,13485,45001,14001 Certified companies	30	Nos				
49	Almirah	30	Nos				
50	Macintosh Sheet	30	Nos				
51	Macintosh Apron	30	Nos				
52	Utility Gloves	30	Nos				
53	Face shield disposable	30	Nos				
54	Chlorine Bucket plastic	30	Nos				
55	Privacy Screen 4 folds	49	Nos				
56	PPIUCD Kit	150	Kits				
	Grand Total Amount (Inclusive of all taxes)						

Company Name:\_\_\_\_\_

Contact Person: \_\_\_\_\_

Designation:

Date: \_\_\_\_\_

Authorized Signature: \_\_\_\_\_

Company Seal\_\_\_\_\_